

Figure 1: Trends in Death Rates of Ischemic (Coronary) Heart Disease, 1990-2004.




Table 1: Trends in Death Rates of Ischemic (Coronary) Heart Disease, 1990-2004.

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
All	224	208	200	196	190	183	177	165	161	170	165	150	151	135	124
Male	302	285	273	267	260	250	244	228	220	230	222	205	206	185	173
Female	168	154	148	145	138	134	128	120	117	125	124	110	113	97	87

Figure 2: Trends in Death Rates of Congestive Heart Failure, 1990-2004.




Table 2: Trends in Death Rates of Congestive Heart Failure, 1990-2004.

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
All	19	21	20	22	21	24	22	23	24	23	23	22	23	22	23
Male	21	26	23	26	23	28	27	25	28	24	25	25	26	27	26
Female	17	19	18	21	20	22	19	21	21	21	22	20	21	20	20

Figure 3: Trends in Death Rates of Stroke, 1990-2004.





Table 3: Trends in Death Rates of Stroke, 1990-2004.

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
All	65	67	65	68	66	67	68	66	64	66	62	61	56	52	48
Male	69	71	72	75	70	69	73	69	64	70	64	66	60	54	51
Female	61	63	60	63	62	65	63	64	63	63	59	57	53	50	46

Table 4: Mortality Rates of Major Cardiovascular Diseases in 2004

Cardiovascular Diseases (CVDs)	All	Male	Female
Ischemic (Coronary) Heart Disease (IHD)	124	173	87
Congestive Heart Failure (CHF)	23	26	20
Stroke	48	51	46

Figure 4: Death Rates of Major Cardiovascular Disease in 2002



Technical notes:

1. All rates were all age-adjusted by US 2000 populations.
2. All rates were expressed at per 100,000 population.
3. ICD9 codes were used from 1990 to 1998 and ICD10 codes were used since 1999 and after.
4. For IHD (CHD), ICD9 were 410-414.9 and 429.2, and ICD10 were I20-I25.
5. For CHF, ICD9 were 428 and ICD10 were I50.
6. For stroke, ICD9 were 430-438 and ICD10 were I60-I69.